



新型高性能钻夹头

NEW DESIGN HIGH PERFORMANCE DRILLCHUCK

2 ST系列钻夹头

ST series keyless drill chuck

3 SD系列钻夹头

SD series keyless drill chuck

6 SG系列钻夹头

SG series keyless drill chuck

9 SPM QM系列钻夹头

SPM QM series keyless drill chuck

10 SM 系列钻夹头

SM series keyless drill chuck



ST10A



ST13A

ALL METAL SLEEVE, WITH LOCK FUNCTION
WITH OR WITHOUT CARBIDE JAWS
ADVANCED DESIGN FOR GRIP TORQUE ENHANCEMENT
SUITABLE FOR 1050W AND 24-36V PROFESSIONAL
IMPACT DRILLS

SPECIAL FEATURES

- 1. SUPER HIGH GRIP TORQUE PERFORMANCE, OUTPUT TORQUE / INPUT TORQUE=1.8
- 2. SUPER DURABILITY
- 3. HIGH PRACTICAL DRILLING PERFORMANCE
- 4. PROFESSIONAL GRADE WITH HIGH PRECISION. EASY TO OPERATE, QUICK TURNING, SAVING TIME.

全金属套，带锁紧功能
可带合金爪
先进的增力机构设计
适用于1050W AC 和 24-36V DC 专业冲击电钻

特点


- 1、突出的夹紧力性能，输出夹紧力是输入力矩的1.8倍
- 2、超强耐久性
- 3、优异的实打钻孔性能
- 4、专业级高精度设计，操作简易、快速、省时



ST10B



ST13B



货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
168100007	ST10A	1-10	1/2-20UNF	41	61	55	0.248	USA EUROPE
167100007	ST10B	1-10	1/2-20UNF	41	61	55	0.261	USA EUROPE
168130001	ST13A	1.5-13	1/2-20UNF	43	70.5	65	0.34	USA EUROPE
167130001	ST13B	1.5-13	1/2-20UNF	43	70.5	65	0.34	USA EUROPE

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.

SD系列钻夹头

SD series keyless drill chuck



Weida®



SD10A



SD10A

锁紧装置可靠、耐用。主要包括以下几点：
RELIABLE AND LONG-LIFE LOCKING MECHANISM:
● 依靠两端面48齿啮合
48 PAIRS TEETH AXIAL ENGAGE
● 通过控制滚珠深浅位置实现上锁、解锁
CONTROL MECHANISM BY USING STEEL BALL AND AXIAL CAM
● 3重保护，防止惯性开锁。

3 STAGES PREVENTING INERTIAL IMPACTION STRUCTURE.

● 适用于AC 850W 和 DC 24V 以下的冲击电钻
SUITABLE FOR BELOW AC 850W AND DC 24V IMPACT DRILL

SD系列钻夹头是威达自主知识产权的专利产品，具有中国专利，美国、欧洲专利正在审批中。

SD SERIES CHUCK IS A PATENT PRODUCT OWNED BY WEIDA, WHICH HAS PATENT REGISTRATION IN CHINA, AND PATENT APPLICATION FOR APPROVAL IN USA AND EUROPE.



SD10B



SD10D

SDA10D



SD10C

SDA10D

锁紧时发出“咔”“咔”响声

WITH AUDIBLE CLICK SOUND WHILE LOCKING

推荐使用于交流750W和直流24V以下的冲击电钻

SUITABLE FOR BELOW AC 750W AND DC 24V IMPACT DRILL

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1(mm)	L2 (mm)	WEIGHT (kg)	PATENT
167100002	SD10A	0.8-10	1/2 -20 UNF	42	64.1	56.5	0.212	USA EUROPE
167100004	SD10A	0.8-10	1/2 -20 UNF	42	64.1	56.5	0.212	USA EUROPE
167100003	SD10B	0.8-10	1/2 -20 UNF	42	64.1	56.5	0.231	USA EUROPE
168100005	SD10C	0.8-10	1/2 -20 UNF	41.8	57.3	49.5	0.204	USA EUROPE
168100004	SD10D	0.8-10	1/2-20 UNF	41.8	57.3	49.5	0.18	USA EUROPE
168100008	SDA10D	0.8-10	3/8-24UNF	41.8	57.3	49.5	0.175	USA EUROPE

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.



新型高性能钻夹头

PEACOCK®

SD系列钻夹头

SD series keyless drill chuck



SD13A



SD13A

锁紧装置可靠、耐用。主要包括以下几点：
 RELIABLE AND LONG-LIFE
 LOCKING MECHANISM:
 ● 依靠两端面54齿啮合
 54 PAIRS TEETH AXIAL ENGAGE
 ● 通过控制滚珠深浅位置实现上锁、解锁
 CONTROL MECHANISM BY USING STEEL BALL
 AND AXIAL CAM
 ● 3重保护，防止惯性开锁。
 3 STAGES PREVENTING INERTIAL IMPACTION
 STRUCTURE.
 ● 适用于AC 1050W 和 DC 28V
 以下的冲击电钻
 SUITABLE FOR BELOW AC 1050W
 AND DC 28V IMPACT DRILL

SD系列钻夹头是威达自主知识产权的专利产品，具有
 中国专利，美国、欧洲专利正在审批中。
 SD SERIES CHUCK IS A PATENT
 PRODUCT OWNED BY WEIDA,
 WHICH HAS PATENT REGISTRATION IN
 CHINA, AND PATENT APPLICATION
 FOR APPROVAL IN USA AND EUROPE.



SD13BA



SD13BC



SD13BB

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT(kg)	PATENT
167130020	SD13A	1.5-13	1/2-20UNF	43	70.7	61	0.266	USA EUROPE
167130022	SD13A	1.5-13	1/2-20UNF	43	70.7	61	0.266	USA EUROPE
167130021	SD13BA	1.5-13	1/2-20UNF	43	70.7	61	0.293	USA EUROPE
167130023	SD13BB	1.5-13	1/2-20UNF	43	70.7	61	0.293	USA EUROPE
167130027	SD13BC	1.5-13	1/2-20UNF	43	70.7	61	0.293	USA EUROPE

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
 Sleeve can be made in different colors according to requirements.



SD 系列钻夹头

SD series keyless drill chuck

Weida®



SD13BD



SD13CA



SD13CB



SD13D

SDA13D



SD13CB

SDA13D

锁紧时发出“咔”“咔”响声

WITH AUDIBLE CLICK SOUND WHILE LOCKING

推荐使用于交流900W和直流28V以下的冲击电钻

SUITABLE FOR BELOW AC 900W AND DC 28V IMPACT DRILL

锁紧装置可靠、耐用。主要包括以下几点：
RELIABLE AND LONG-LIFE
LOCKING MECHANISM:
● 依靠两端面54齿啮合
54 PAIRS TEETH AXIAL ENGAGE
● 通过控制滚珠深浅位置实现上锁、解锁
CONTROL MECHANISM BY USING STEEL BALL
AND AXIAL CAM
● 3重保护，防止惯性开锁。
3 STAGES PREVENTING INERTIAL IMPACTION
STRUCTURE.
● 适用于AC 1050W 和 DC 28V
以下的冲击电钻
SUITABLE FOR BELOW AC 1050W
AND DC 28V IMPACT DRILL

SD系列钻夹头是威达自主知识产权的专利产品，具有中国专利，美国、欧洲专利正在审批中。
SD SERIES CHUCK IS A PATENT
PRODUCT OWNED BY WEIDA,
WHICH HAS PATENT REGISTRATION IN
CHINA, AND PATENT APPLICATION
FOR APPROVAL IN USA AND EUROPE.

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1(mm)	L2 (mm)	WEIGHT(kg)	PATENT
167130029	SD13BD	1.5-13	1/2-20UNF	43	70.7	61	0.293	USA EUROPE
168130022	SD13CA	1.5-13	1/2-20UNF	43	70.7	61	0.276	USA EUROPE
168130029	SD13CB	1.5-13	1/2-20UNF	43	65.1	52.75	0.243	USA EUROPE
168130033	SD13CB	1.5-13	1/2-20UNF	43	65.1	52.75	0.243	USA EUROPE
168130023	SD13D	1.5-13	1/2-20UNF	43	70.7	61	0.24	USA EUROPE
168130036	SDA13D	1.5-13	1/2-20UNF	43	70.7	61	0.235	USA EUROPE

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.



新型高性能钻夹头



SG10H



SG10HA

- SG系列钻夹头是威达自主知识产权的专利产品，具有中国专利，美国、欧洲专利正在审批中

SG SERIES CHUCK IS A PATENT PRODUCT OWNED BY WEIDA, WHICH HAS PATENT REGISTRATION IN CHINA, AND PATENT APPLICATION FOR APPROVAL IN USA AND EUROPE.

- 可靠的锁紧机构：新型结构—椭圆变形齿啮合机构，几对齿同时啮合

RELIABLE LOCKING MECHANISM: NEW CONCEPT — THE ELLIPSE DEFORMATION TEETH ENGAGEMENT, SEVERAL COUPLE OF TEETH ENGAGE SIMULTANEOUSLY

- SG10系列夹头适用于交流850W和直流18V以下冲击电钻

SG10 SERIES CHUCK IS SUITABLE FOR BELOW AC 850W OR DC18V IMPACT DRILL



SG10O



SG10B

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT(kg)	PATENT
167100001	SG10H	1.5-10	1/2-20UNF	42	59.5	50.5	0.202	USA
168100003	SG10HA	1.5-10	1/2-20UNF	45	63	55	0.244	USA
168100001	SG10O	1.5-10	3/8-24UNF	42	59.5	49	0.202	USA
167100006	SG10B	0.8-10	3/8-24UNF	42	66	56.5	0.2	USA



SG 系列钻夹头

SG series keyless drill chuck

Weida®



SG13A



SG13K



SG13OA



SG13OH

- SG系列钻夹头是威达自主知识产权的专利产品，具有中国专利，美国、欧洲专利正在审批中
SG SERIES CHUCK IS A PATENT PRODUCT OWNED BY WEIDA, WHICH HAS PATENT REGISTRATION IN CHINA, AND PATENT APPLICATION FOR APPROVAL IN USA AND EUROPE.
- 可靠的锁紧机构：新型结构—椭圆变形齿啮合机构，几对齿同时啮合
RELIABLE LOCKING MECHANISM: NEW CONCEPT — THE ELLIPSE DEFORMATION TEETH ENGAGEMENT, SEVERAL COUPLE OF TEETH ENGAGE SIMULTANEOUSLY
- SG13系列钻夹头适用于交流1050W和直流24V以下冲击电钻
SG13 SERIES CHUCK IS SUTABLE FOR BELLOW AC 1050W OR DC 24V IMPACT DRILL

带合金爪，夹紧力高，使用寿命长。
JAW WITH CARBIDE, BIGGER GRIP TORQUE, LONGER LIFE TIME.

新型高性能钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1(mm)	L2(mm)	WEIGHT(kg)	PATENT
168130004	SG13A	1.5-13	1/2-20UNF	43	71.5	60	0.235	USA
167130030	SG13K	1.5-13	1/2-20UNF	42.85	71.7	60	0.24	USA
168130019	SG13OA	1.5-13	1/2-20UNF	42.85	71.5	62.5	0.25	USA
168130016	SG13OH	1.5-13	1/2-20UNF	42.85	71.5	60	0.263	USA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.





SG13H



SG13LC



SG13D



SG13O



SG13O

SG系列钻夹头是威达自主知识产权的专利产品，具有中国专利，美国、欧洲专利正在审批中

SG SERIES CHUCK IS A PATENT PRODUCT OWNED BY WEIDA, WHICH HAS PATENT REGISTRATION IN CHINA, AND PATENT APPLICATION FOR APPROVAL IN USA AND EUROPE.

可靠的锁紧机构：新型结构—椭圆变形齿啮合机构，几对齿同时啮合

RELIABLE LOCKING MECHANISM: NEW CONCEPT — THE ELLIPSE DEFORMATION TEETH ENGAGEMENT, SEVERAL COUPLE OF TEETH ENGAGE SIMULTANEOUSLY

SG13系列钻夹头适用于交流1050W和直流24V以下冲击电钻

SG13 SERIES CHUCK IS SUTABLE FOR BELLOW AC 1050W OR DC 24V IMPACT DRILL

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT(kg)	PATENT
167130025	SG13H	1.5-13	1/2-20UNF	43.5	73.5	62	0.268	USA
168130017	SG13LC	1.5-13	1/2-20UNF	42.85	71.5	60	0.232	USA
168130028	SG13D	1.5-13	1/2-20UNF	42.85	64	52.5	0.238	USA
168130011	SG13O	1.5-13	1/2-20UNF	42.85	71.5	60	0.263	USA
168130032	SG13O	1.5-13	1/2-20UNF	42.85	71.5	60	0.263	USA



SPM 系列钻夹头 QM 系列钻夹头

SPM series keyless chuck

QM series keyless drill chuck

Weida®



SPM13A

- 全金属双套，带锁功能
ALL METAL DOUBLE SLEEVE WITH LOCK FUNCTION
- 锁紧时发出“咔”“咔”响声
WITH AUDIBLE CLICK SOUND
- 带有增力结构
DESIGN WITH GRIP TORQUE ENHANCEMENT
- 输出夹紧力是输入力矩的1.6倍
OUTPUT TORQUE / INPUT TORQUE=1.6
- 超强耐久性
SUPER DURABILITY
- 适用于AC 1000W 和 DC 24V 以下专业冲击电钻
SUITABLE FOR BELOW AC 1000W AND DC 24V PROFESSIONAL IMPACT DRILL



QM13A

- 全金属双套，带锁功能
ALL METAL DOUBLE SLEEVE WITH LOCK FUNCTION
- 锁紧时发出“咔”“咔”响声
WITH AUDIBLE CLICK SOUND
- 适用于AC 850W 和 DC 24V 以下冲击电钻
SUITABLE FOR BELOW AC 850W AND DC 24V IMPACT DRILL

新型高性能钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1(mm)	L2 (mm)	WEIGHT(kg)	PATENT
167130003	SPM13A	1.5-13	1/2 -20 UNF	43	72	65	0.385	USA
157130002	QM13A	1.5-13	1/2 -20 UNF	43	71	62.5	0.325	USA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.





SM13A



SM13C

- 塑料或金属外套，单套或双套外观。
PLASTIC OR METAL SLEEVE,
SINGLE OR DOUBLE SLEEVE
VERSION
- 带有防卡死功能（SM13C除外）
WITH ANTI JAMMING FUNCTION
(EXCEPT SM13C)
- 适用于AC 700W 和 DC 18V 以下
冲击电钻
SUITABLE FOR BELOW AC
700W AND DC 18V
IMPACT DRILL

货 号	型 号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重 量	专 利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1(mm)	L2(mm)	WEIGHT(kg)	PATENT
158130001	SM13A	1.5-13	1/2-20UNF	43	73	61.5	0.285	USA
158130005	SM13C	1.5-13	1/2-20UNF	43	74.5	63	0.27	USA



手紧钻夹头

KEYLESS DRILL CHUCK

12 6mm手紧式钻夹头


6mm keyless drill chuck

13 10mm手紧式钻夹头

10mm keyless drill chuck


20 13mm手紧式钻夹头

13mm keyless drill chuck





J156B



J156S

适用于便携式不带冲击的DC电钻和不带冲击的小功率AC电钻。

This type chuck can be suitable for no impact DC power drill and no impact AC power drill with small power.



J166W

最新开发的全金属套产品，具有外形美观，使用寿命长等特点，是中、高档手电钻的升级换代产品，适用于不带冲击的便携式DC电钻和不带冲击的AC电钻。

The appearance of newest developed keyless chuck with all metal sleeve are beautiful, use more durable, the middle & high grade power drill will be raised to a higher level with such chucks, it is suitable for the no impact DC power drill and no impact AC power drill with small power.

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
115060002	J156B	0.8-6	3/8-24UNF	38	54	47	0.1	CHINA
115060001	J156S	0.8-6	3/8-24UNF	38	55	46	0.1	USA
116060004	J166W	0.8-6	1/2-20UNF	34.5	55.5	47	0.15	CHINA



10mm手紧式钻夹头

10mm Keyless drill chuck

Weida®



J1510BG



J1510BX

适用于便携式不带冲击的
DC电钻和不带冲击的小功率AC
电钻。

This type chuck can be suitable
for no impact DC power drill
and no impact AC power drill
with small power.



J1510BE



J1510BK



J1510BM

手紧钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT(kg)	PATENT
115100233	J1510BG	0.8-10	3/8-24UNF	41	62.5	54	0.18	CHINA
115100056	J1510BG	0.8-10	1/2-20UNF	41	62.5	54	0.18	CHINA
115100057	J1510BG	0.8-10	M12X1.25	41	62.5	54	0.18	CHINA
115100290	J1510BX	0.8-10	3/8-24UNF	41	62.5	53	0.175	CHINA
115100166	J1510BE	0.8-10	3/8-24UNF	41	62.5	54	0.18	CHINA
115100202	J1510BK	0.8-10	3/8-24UNF	47	63	53	0.18	CHINA
115100201	J1510BM	0.8-10	3/8-24UNF	47	63	53	0.18	CHINA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.





J1510ZX



J1510Z

适用于便携式不带冲击的DC电钻和
不带冲击的小功率AC电钻。

This type chuck can be suitable for no
impact DC power drill and no impact AC
power drill with small power.



J1510ZA



J1510ZZ

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
115100291	J1510ZX	0.8-10	3/8-24UNF	41	58	48	0.155	CHINA
115100129	J1510Z	0.8-10	3/8-24UNF	41	58	48	0.155	CHINA
115100131	J1510ZA	0.8-10	3/8-24UNF	41	58	48	0.16	CHINA
115100215	J1510ZZ	0.8-10	1/2-20UNF	41	60.5	49	0.17	CHINA



10mm手紧式钻夹头

10mm Keyless drill chuck

Weida®



J1510E



J1510F



J1510P

适用于便携式不带冲击的DC电钻和不带冲击的小功率AC电钻。

This type chuck can be suitable for no impact DC power drill and no impact AC power drill with small power.



J1510TF



J1510TG



J1510TM

手紧钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
115100037	J1510E	0.8-10	3/8-24UNF	42	62.5	54	0.18	CHINA
115100198	J1510F	0.8-10	3/8-24UNF	46.5	62.5	54	0.18	CHINA
115100132	J1510P	1-10	3/8-24UNF	42	64	54	0.19	CHINA
115100041	J1510TF	0.8-10	3/8-24UNF	43	63	53.5	0.19	CHINA
115100045	J1510TG	0.8-10	3/8-24UNF	43	63	53.5	0.19	CHINA
115100153	J1510TM	0.8-10	3/8-24UNF	43	63	54	0.19	CHINA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准化色卡号。
Sleeve can be made in different colors according to requirements.





J1510R



货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT(kg)	PATENT
115100179	J1510R	0.8-10	3/8-24UNF	43	63	53.5	0.19	CHINA
115100183	J1510S	0.8-10	3/8-24UNF	43	63	53.5	0.19	CHINA
115100168	J1510T	0.8-10	3/8-24UNF	43	63	53.5	0.19	CHINA



J1510T

此款“R、S、T”系列夹头具有美国、欧洲专利，推荐使用于便携式不带冲击的DC18V电钻和不带冲击的小功率AC电钻。

The series chucks of "R,S,T" have the USA & Europe patents, suitable for portable non-impact DC and AC drill.




J1510S



10mm手紧式钻夹头

10mm Keyless drill chuck

Weida®



J1610J



J1610V

适用于便携式不带冲击的DC电钻和不带冲击的小功率AC电钻。

This type chuck can be suitable for no impact DC power drill and no impact AC power drill with small power.

更短、更小、更轻!
Shorter, smaller and lighter



J1610ES



J1610EK



J1610EF

手紧钻夹头


货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
116100017	J1610J	0.8-10	3/8-24UNF	43	62.5	53.5	0.19	USA
116100034	J1610V	0.8-10	3/8-24UNF	42	62.5	53.5	0.19	USA
116100064	J1610ES	0.8-10	3/8-24UNF	42	56	46	0.165	CHINA
116100084	J1610EK	0.8-10	3/8-24UNF	38	50	40	0.115	CHINA
116100086	J1610EF	0.8-10	1/2-20UNF	38	50	40	0.115	CHINA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准化色卡号。
Sleeve can be made in different colors according to requirements.





J1510BG



J1510PB



J1510CF



J1510T



J1510TM

具有外形美观，并保证在长时间钻孔时后套不会因发热而出现松脱的现象。

The appearance of keyless chuck with metal rear sleeve is beautiful, it can prevent the rear sleeve from loosening for heated when the chucks drill holes for a long time.

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
115100066	J1510BG	0.8-10	3/8-24UNF	42.5	63	54	0.21	CHINA
115100145	J1510PB	1-10	3/8-24UNF	42	63	55	0.21	CHINA
115100170	J1510T	0.8-10	3/8-24UNF	43	63	53.5	0.21	USA
115100267	J1510CF	0.8-10	3/8-24UNF	41	61	51.8	0.19	CHINA
115100229	J1510TM	0.8-10	3/8-24UNF	43	63	54	0.22	CHINA

10mm手紧式钻夹头

10mm Keyless drill chuck

Weida®



J1610T



J1510EB



J1610BC

最新开发的全金属套产品，具有外形美观，使用寿命长等特点，是中、高档手电钻的升级换代产品，适用于不带冲击的便携式DC电钻和不带冲击的AC电钻。

The appearance of newest developed keyless chuck with all metal sleeve are beautiful,use more durable,the middle & high grade power drill will be raised to a higher level with such chucks,it is suitable for the no impact DC power drill and no impact AC power drill with small power.

手紧钻夹头


货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1(mm)	L2(mm)	WEIGHT(kg)	PATENT
116100087	J1610T	0.8-10	3/8-24UNF	41.4	63	53.5	0.21	USA
115100207	J1510EB	0.8-10	3/8-24UNF	41	63	53	0.22	CHINA
116100063	J1610BC	0.8-10	3/8-24UNF	40	62	53	0.185	CHINA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.





J1513BF



J1513BX

适用于便携式不带冲击的DC电钻和功率AC电钻。

This type chuck can be suitable for no impact DC power drill and no impact AC power drill with small power.



J1513C



J1513G

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
115130182	J1513BF	2-13	3/8-24UNF	43	73	62.5	0.24	CHINA
115130168	J1513BF	2-13	1/2-20UNF	43	73	62.5	0.24	CHINA
115130060	J1513BF	2-13	M12X1.25	43	73	62.5	0.24	CHINA
115130186	J1513BX	2-13	1/2-20UNF	43	73	63	0.235	CHINA
115130099	J1513C	2-13	1/2-20UNF	43	73	62.5	0.24	CHINA
115130117	J1513G	2-13	1/2-20UNF	43	73	63	0.24	USA



13mm手紧式钻夹头

13mm Keyless drill chuck

Weida®



J1513R




J1513S

此款“R、S、T”系列夹头具有美国、欧洲专利。
The series chucks of “R,S,T” have the USA & Europe patents.



J1513T



手紧钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
115130109	J1513R	2-13	1/2-20UNF	43	73	63	0.24	USA
115130142	J1513S	2-13	1/2-20UNF	43	73	63	0.24	USA
115130080	J1513T	2-13	1/2-20UNF	43	73	63	0.24	USA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.





J1513Q

适用于便携式不带冲击的DC电钻和不带冲击的小功率AC电钻。

This type chuck can be suitable for no impact DC power drill and no impact AC power drill with small power.



J1613ES



J1613W

适用于不带冲击的便携式DC电钻和不带冲击的小功率AC电钻，特别适用于具有SPINDLE LOCK的电钻。

Suitable for no impact DC power drill and no impact AC power drill with small power, it is specially suitable for power drill with spindle lock function.




J1513W

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT(kg)	PATENT
115130115	J1513Q	2-13	1/2-20UNF	43	75	63	0.24	CHINA
116130050	J1613ES	2-13	1/2-20UNF	43	64	53	0.2	CHINA
116130023	J1613W	2-13	1/2-20UNF	45	74	64.5	0.26	USA
115130163	J1513W	2-13	1/2-20UNF	43	74	64.5	0.26	USA

13mm手紧式钻夹头

13mm Keyless drill chuck

Weida®



J1513BB

J1513T

具有外形美观，并保证在长时间钻孔时后套不会因发热而出现松脱的现象。

The appearance of keyless chuck with metal rear sleeve is beautiful, it can prevent the rear sleeve from loosening when the chucks drill holes for a long time.



J1513QA

J1513BQ

手紧钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT(kg)	PATENT
115130026	J1513BB	2-13	1/2-20UNF	43	73	62.5	0.31	CHINA
115130084	J1513T	2-13	1/2-20UNF	43	73	63	0.31	USA
115130116	J1513QA	2-13	1/2-20UNF	43	75	63	0.24	CHINA
115130139	J1513BQ	2-13	1/2-20UNF	43	73	63	0.25	CHINA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.





锁紧式钻夹头

KEYLESS DRILL CHUCK WITH LOCK FUNCTION

25 锁紧式钻夹头

Keyless Drill Chuck With Lock Function



锁紧式钻夹头

Keyless drill chuck with lock function

Weida®



J1713BQ



J1713CB



J1713CB



J1713E



J1813CB

操作简单，锁紧可靠，使用方便等特点，可用于750W以下的冲击电钻。

Operation is simple, lock function is reliable, usage is portable, it is suitable for 750W below impact power drill.

锁紧式钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
117130171	J1713BQ	2-13	1/2-20UNF	43	73	63	0.26	CHINA
117130163	J1713CB	2-13	1/2-20UNF	43	73	63	0.285	CHINA
117130167	J1713CB	2-13	1/2-20UNF	43	73	63	0.275	CHINA
117130159	J1713E	1.5-13	1/2-20UNF	42.5	75	62	0.28	USA
118130029	J1813CB	2-13	1/2-20UNF	43	73	63	0.27	USA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.



PEACOCK[®]

锁紧式钻夹头


Keyless drill chuck with lock function



J1710C



J1710K



采用轴向锁紧方式，具有操作简单，锁紧可靠，使用方便等特点，可用于750W的冲击电钻。

This type chuck adopt the lock mechanism from the axial direction, operation is simple, lock function is reliable, usage is portable, it is suitable for 750W impact power drill.

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
117100033	J1710C	0.8-10	3/8-24UNF	42	66	57	0.19	CHINA
117100046	J1710K	0.8-10	3/8-24UNF	47	63	54	0.18	CHINA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.



锁紧式钻夹头

Keyless drill chuck with lock function

Weida®



J1713I



J1713IA

采用轴向锁紧方式，不带响，具有操作简单，锁紧可靠，使用方便等特点，可用于850W以下的冲击电钻。

This type chuck adopt the lock mechanism from the axial direction, without "click" sound, operation is simple, lock function is reliable, usage is portable, it is suitable for 850W below impact power drill.



J1713IC



J1713ID



锁紧式钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
117130022	J1713I	2-13	1/2-20UNF	46.5	83	70	0.3	CHINA
117130036	J1713IA	2-13	1/2-20UNF	46.5	81	70	0.31	CHINA
117130049	J1713IC	2-13	1/2-20UNF	43	80	69	0.3	CHINA
117130056	J1713ID	2-13	1/2-20UNF	43	81.5	69.5	0.29	CHINA

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.



PEACOCK[®]

锁紧式钻夹头

Keyless drill chuck with lock function



J1813M



J1713M

推荐使用于700W的AC和18V以下的DC冲击电钻，采用旋转锁紧方式，已获美国专利。

Suitable for 700W AC drill and $\leq 18V$ DC drill, this type chuck adopt the lock mechanism by rotation, have the patent of USA.


货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1(mm)	L2 (mm)	WEIGHT(kg)	PATENT
118130018	J1813M	2-13	3/8-24UNF	43	74	63	0.24	USA
118130019	J1813M	2-13	1/2-20UNF	43	74	63	0.24	USA
117130061	J1713M	2-13	1/2-20UNF	43	74	63	0.25	USA
117130090	J1713J	2-13	1/2-20UNF	43	74	63	0.23	CHINA
117130082	J1713JB	2-13	1/2-20UNF	43	74	62	0.28	CHINA

采用旋转锁紧方式，具有操作简单，锁紧可靠，使用方便等特点，可用于750W以下的冲击电钻。

This type chuck adopt the lock mechanism by rotation, operation is simple, lock function is reliable, usage is portable, it is suitable for below 750W impact power drill.



J1713J



J1713JB

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.



锁紧式钻夹头

Keyless drill chuck with lock function

Weida®



J1710ZA



J1510M



J1810MC J1813MC

推荐使用于700W的AC和18V以下的DC冲击电钻, 采用旋转锁紧方式。

Suitable for 700W AC drill and ≤18V DC drill, this type chuck adopt the lock mechanism by rotation.

锁紧式钻夹头

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
117100044	J1710ZA	0.8-10	1/2-20UNF	42	63	53.5	0.19	CHINA
117100061	J1510M	0.8-10	3/8-24UNF	43	65.5	55	0.19	USA
118100017	J1810MC	0.8-10	3/8-24UNF	40	62	53	0.2	USA
118130047	J1813MC	2-13	3/8-24UNF	43	74	63	0.27	USA

外套颜色可按客户要求定做, 亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.



PEACOCK®

锁紧式钻夹头

Keyless drill chuck with lock function



J1713OD



J1813OH



J1813OH



J1713OE



J1713OEA

推荐使用在850W的冲击电钻上，具有欧洲、美国专利。

Suitable for 850W impact drill, have the patent of USA & Europe.

货号	型号	夹持范围	连接特性	最大直径	最大长度	成品尺寸	重量	专利
PART NO.	MODEL	CAPACITY(mm)	MOUNTS	D (mm)	L1 (mm)	L2 (mm)	WEIGHT (kg)	PATENT
117130132	J1713OD	2-13	1/2-20UNF	43	74	63	0.3	USA EUROPE
118130061	J1813OH	1.5-13	3/8-24UNF	42.8	69	60.5	0.295	USA EUROPE
118130056	J1813OH	1.5-13	1/2-20UNF	42.8	69	60.5	0.285	USA EUROPE
117130077	J1713OE	2-13	1/2-20UNF	43	74	63	0.3	USA EUROPE
117130078	J1713OEA	2-13	1/2-20UNF	42.9	75	63	0.305	USA EUROPE

外套颜色可按客户要求定做，亦可指定PANTONE国际标准色卡号。
Sleeve can be made in different colors according to requirements.

